


Green Lighting.co.uk

D-LUX LED  
DOWNLIGHT  
RANGE  
2018





**For over a decade, Green Lighting has been a pioneer in developing market leading lighting for the housebuilder.**

Our philosophy is to deliver innovative products, cost effectively to the housebuilder via direct specification.

As a designer, manufacturer and distributor of LED lighting, Green Lighting offer a unique route to market, providing full traceability, after sales service and product warranties.

For 2018 we have introduced a vast range of new products with market leading technology to meet Part L1 2013 and deliver cost effectiveness to the end user.

# D-LUX DOWNLIGHTS



## PR0700 7W Downlight

Dimmable: **WH7WD** Matt White  
**CH7WD** Chrome  
**BA7WD** Brushed Aluminium

Non dimmable: **WH7WS** Matt White  
**CH7WS** Chrome  
**BA7WS** Brushed Aluminium

The 7.9W PR0700 is fully compliant to Part L1a and with great colour rendering it delivers quality light with an output greater than a 50w low voltage lamp.

THESE DOWNLIGHTS ARE LAMPLESS. THE LAMP CANNOT BE REMOVED AND ATTEMPTING TO DO SO WILL DAMAGE THE FITTING.

### Specification

Voltage	39.6V
Lumens	720lm
Colour Temp.	3000K
IP Rating	65
Cut Out	68-70mm
Dimensions	Ø90 x 53mm



## PR01300 13W D-Lux LED Downlight

Dimmable: **SN-WH13WD** Matt White  
**SN-CH13WD** Chrome  
**SN-BA13WD** Brushed Aluminium

Non dimmable: **SN-WH13WS** Matt White  
**SN-CH13WS** Chrome  
**SN-BA13WS** Brushed Aluminium

The PR01300 13W is fully compliant to Part L1a and with great colour rendering it delivers quality light with an output greater than a 50W low voltage lamp.

THESE DOWNLIGHTS ARE LAMPLESS. THE LAMP CANNOT BE REMOVED AND ATTEMPTING TO DO SO WILL DAMAGE THE FITTING.

### Specification

Voltage	40.7V
Lumens	1300lm
Colour Temp.	3000K
IP Rating	65
Cut Out	90mm
Minimum Void	89mm
Dimensions	111 x 89mm

# D-LUX DOWNLIGHTS



## PRO700 7W Directional Downlight

Dimmable: **SN-DWH7WD** Matt White  
**SN-DCH7WD** Chrome  
**SN-DBA7WD** Brushed Aluminium

Non dimmable: **SN-DWH7W** Matt White  
**SN-DCH7W** Chrome  
**SN-DBA7W** Brushed Aluminium

The 7.9W PRO700 Directional Downlight is fully compliant to Part L1a and with great colour rendering it delivers quality light with an output greater than a 50w low voltage lamp.

THESE DOWNLIGHTS ARE LAMPLESS. THE LAMP CANNOT BE REMOVED AND ATTEMPTING TO DO SO WILL DAMAGE THE FITTING.

### Specification

Voltage	39.6V
Lumens	671lm
Colour Temp.	3000K
IP Rating	44
Cut Out	95mm
Dimensions	Ø107 x 60mm

## Replacement D-Lux LED Downlight Driver

**SN7WNDD** 7W Non-Dimmable  
**SN7WDD** 7W Dimmable  
**SN13WNDD** 13W Non-Dimmable  
**SN13WDD** 13W Dimmable

Replacement drivers for both the PRO700 and PRO1300 ranges of LED downlights.





For product information visit

**[www.greenlighting.co.uk](http://www.greenlighting.co.uk)**

or e-mail **[sales@greenlighting.co.uk](mailto:sales@greenlighting.co.uk)**

For all information call **01905 610200**